



Qingdao Zongjin Engineering Machinery Co.,Ltd.

ADD: #1115, International Business Center , NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

E-mail:info@chinawheelloaders.com

Tel:0086-532-66739792

Fax:0086-532-66739791

Specification of ZL18 wheel loader



Performance and characteristic

1. Streamlined appearance, beautiful and elegant.
2. Fully hydraulic steering system, easier operation.
3. Bucket can be leveled automatically, high productivity.
4. Comfortable operation environment, new design cabin, air-conditioner at option.
5. Various working devices of attachment are available, such as wooden fork, pipe fork, grass fork, stone bucket, enlarged bucket, plow, fork etc, to meet different needs.



Qingdao Zongjin Engineering Machinery Co.,Ltd.

ADD: #1115, International Business Center , NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

E-mail:info@chinawheelloaders.com

Tel:0086-532-66739792

Fax:0086-532-66739791





Qingdao Zongjin Engineering Machinery Co.,Ltd.

ADD: #1115, International Business Center , NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

E-mail:info@chinawheelloaders.com

Tel:0086-532-66739792

Fax:0086-532-66739791





Qingdao Zongjin Engineering Machinery Co.,Ltd.


ADD: #1115, International Business Center , NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

E-mail:info@chinawheelloaders.com

Tel:0086-532-66739792

Fax:0086-532-66739791



www.chinawheelloaders.com



Qingdao Zongjin Engineering Machinery Co.,Ltd.

ADD: #1115, International Business Center , NO.196 Zhengyang Rd , Chengyang , Qingdao , China

<http://www.chinawheelloaders.com>

E-mail:info@chinawheelloaders.com

Tel:0086-532-66739792

Fax:0086-532-66739791

Basic Parameters	Overall weight (kg)	4400
	Overall dimension (LxWxH)(mm)	5700x1830x2730
	Rated capacity(m³)	0.9
	Rated weight(kg)	1800
	Max.dump height	3200/3700/4500
	Performance of bucket being set level	Yes
	Min.turning radius(outside of bucket)(mm)	3500
Engine Parameters	Model	WEICHAI ZH4102G41
	Pattern	Vertical, In-line , Water cooling, four-stroke diesel engine
	Rated power(kw)	47
	Specified rotational speed(r/min)	2400
Driven System	Model of torque device	YJ265
	Pattern of gearboxes	Fixed-spindle power shift
	Number of gear shift	2 gears ahead,2 gear astern